PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Commissioner **US Department of Commerce** United States Patent and Trademark Office, PCT 2011 South Clark Place Room CP2/5C24 Arlington, VA 22202

ETATS-UNIS D'AMERIQUE Date of mailing (day/month/year)

in its capacity as elected Office 12 January 2001 (12.01.01) International application No. Applicant's or agent's file reference 49705 PCT/FI00/00353 International filing date (day/month/year) Priority date (day/month/year) 26 April 1999 (26.04.99) 25 April 2000 (25.04.00) **Applicant** HAUMONT, Serge

| 1. | The designated Office is here | by notified of its election made: | |
|----|---|---|----------------------------------|
| | | h the International Preliminary Examining Authority on: | • |
| | | 26 November 2000 (26.11.00) | • |
| | in a notice effecting lat | er election filed with the International Bureau on: | |
| | _ | | |
| 2. | The election X was | | • |
| | was no | | |
| | made before the expiration of Rule 32.2(b). | f 19 months from the priority date or, where Rule 32 appl | ies, within the time limit under |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | ` |

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer


R. E. Stoffel

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

with the competent International Preliminary Examining inthority or, if two or more Authorities are competent, be indicated by the applicant on the line below:

IPEA/EPO



PCT

CHAPTER II

DEMLAND

under Article 31 of the Patent Cooperation Treaty:

The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty and hereby elects all eligible States (except where otherwise indicated).

| For | International Preliminar | y Examining Authori | ty use only | |
|---|--|-------------------------------|---|--|
| Identification of IPEA | | Date of receipt of D | DEMAND | |
| Box No. I IDENTIFICATION OF T | HE INTERNATIONAL | . APPLICATION | Applicant's or agent's file reference 49705/ML/MM | |
| International application No. | International filing date | (day/month/year) | (Earliest) Priority date (day/month/year) | |
| PCT/FI00/00353 | 25 April 2000 (25.4 | .00) | 26 April 1999 (26.4.99) | |
| Title of invention | | | | |
| NEW METHOD FOR CHECKING | THE DATA | | | |
| Box No. II APPLICANT(S) | | | | |
| Name and address: (Family name followed by The address must include page 1 | given name; for a legal entity, ostal code and name of country: | jull official designation. | Telephone No.: | |
| NOKIA NETWORKS OY P.O.Box 300 | | | Facsimile No.: | |
| FIN-00045 NOKIA GROUP Finland | | | | |
| T mark | | | Teleprinter No.: | |
| State (that is, country) of nationality: | | State (that is, count | ry) of residence: | |
| Finland | | Finland | | |
| Name and address: (Family name followed by g | rven name; for a legal entity, fi | iil official designation. The | address must include postal code andname of country.) | |
| HAUMONT, Serge Riistavuorenkuja 3 B 10 FIN-00320 HELSINKI | | | | |
| Finland | • | | | |
| | | | | |
| State (that is, country) of nationality: | | State (that is, count | nu) of residence | |
| France | | Finland | yy or residence. | |
| Name and address: (Family name followed by green name; for a legal entity, full official designation. The address must include postal code andname of country.) | | | | |
| | | | | |
| | | | | |
| • | | | | |
| | | · | | |
| | | | | |
| State (that is, country) of nationality: | | State (that is, country | y of residence: | |
| Further applicants are indicated on | a continuation sheet. | | | |

Sheet No 2

International application No.
PCT/FI00/00353

| Box No. III AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE | | | | |
|---|---|--|--|--|
| The following person is x agent common representative | | | | |
| and K has been appointed earlier and represents the applicant(s) also for international preliminary examination. | | | | |
| is hereby appointed and any earlier appointment of (an) agent(s)/common represen | ntative is hereby revoked. | | | |
| is hereby appointed, specifically for the procedure before the International Prelimi the agent(s)/common representative appointed earlier. | nary Examining Authority, in addition to | | | |
| Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) | Telephone No.: | | | |
| | +358-9-693701 | | | |
| BERGGREN OY AB | Facsimile No.: | | | |
| P.O. Box 16 FIN-00101 HELSINKI | +358-9-6933944 | | | |
| Finland | Teleprinter No.: | | | |
| | · | | | |
| Address for correspondence: Mark this check-box where no agent or common re space above is used instead to indicate a special addr ess to which correspondence | epresentative is/has been appointed and the should be sent. | | | |
| Box No. IV BASIS FOR INTERNATIONAL PRELIMINARY EXAMINATION | | | | |
| Statement concerning amendments:* | | | | |
| 1 The applicant wishes the international preliminary examination to start on the basis of: | , | | | |
| the international application as originally filed | | | | |
| the description x as originally filed | | | | |
| as amended under Article 34 | • | | | |
| the claims x as originally filed | • • | | | |
| as amended under Article 19 (together with any accompanying | statement) | | | |
| as amended under Article 34 | · | | | |
| the drawings as originally filed | | | | |
| as amended under Article 34 | | | | |
| 2. The applicant wishes any amendment to the claims under Article 19 to be consider | red as reversed. | | | |
| 3. The applicant wishes the start of the international preliminary examination to be postponed until the expiration of 20 months | | | | |
| from the priority date unless the International Preliminary Examining Authority runder Article 19 or a notice from the applicant that he does not wish to make such | eceives a copy of any amendments made | | | |
| box may be marked only where the time limit under Article 19 has not yet expired. |) | | | |
| * Where no check-box is marked, international preliminary examination will start on the basis of the international application as originally filed or, where a copy of amendments to the claims under Article 19 and/or amendments of the international application under Article 34 are received by the International Preliminary Examining Authority before it has begun to draw up a written opinion or the international preliminary examination report, as so amended. | | | | |
| Language for the purposes of international preliminary examination: English | | | | |
| which is the language in which the international application was filed. | | | | |
| which is the language of a translation furnished for the purposes of internation | al search. | | | |
| which is the language of publication of the international application. | | | | |
| which is the language of the translation (to be) furnished for the purposes of in | nternational preliminary examination. | | | |
| Box No. V ELECTION OF STATES | | | | |
| The applicant hereby elects all eligible States (that is, all States which have been designate the PCT) | d and which are bound by Chapter II of | | | |
| excluding the following States which the applicant wishes not to elect: | | | | |
| | | | | |
| | | | | |

Sheet No. 3.

International application No. PCT/FI00/00353

| | · — · · · · · · · · · · · · · · · · · · | | | |
|--|---|--|---|---|
| The demand is accompanied by the following elements of the purposes of international property of the purposes of international property of the purposes of international property of the purposes of the purposes of international property of the purposes of the purpose o | | | | ional Preliminary Authority use only not received |
| 1. translation of international application | : : | sheets | | |
| 2. amendments under Article 34 | : | sheets | | |
| 3. copy (or, where required, translation) of amendments under Article 19 | : | sheets | | |
| 4. copy (or, where required, translation) of statement under Article 19 | : | sheets | | |
| 5. letter | : | sheets | | |
| 6. other (specify) | : . | sheets | | |
| he demand is also accompanied by the item(s) ma | arked below: | | | |
| 1. K fee calculation sheet | 4. | statement ex | plaining lack of sign | nature |
| 2. separate signed power of attorney | 5. | nucleotide an | id or amino acid sec | quence listing in |
| 3. copy of general power of attorney, reference number, if any: | 6. | other (specify | | |
| ox No. VII SIGNATURE OF APPLICANT, A | ACENT OR COM | MON DEPRESEN | TATIVE | |
| | | | · capacity to not cornegs | from reading the demand). |
| BERGGREN OY AB | | | capacity is not contain. | rom reading the demand). |
| BERGGREN OY AB Juhani Kupiainen | | | | rom reading the aemand). |
| 2-2- | | | ember 2000 | from reasing the aemana). |
| Juhani Kupiainen | | | | rom reasing the aemana). |
| Juhani Kupiainen Patent Agent | nal Preliminary Exar | 26 Nov | ember 2000 | from reasing the demand). |
| Juhani Kupiainen Patent Agent | nal Preliminary Exar | 26 Nov | ember 2000 | from reasing the aemana). |
| Juhani Kupiainen Patent Agent For Internation | nal Preliminary Exar | 26 Nov | ember 2000 | rom reasing the aemana). |
| Juhani Kupiainen Patent Agent For Internation 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due | TER the expiration of | 26 Novemining Authority us | ember 2000 | nt has been |
| Juhani Kupiainen Patent Agent For Internation 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): 3. The date of receipt of the demand is AF | TER the expiration of below, does not app | 26 Novemining Authority us | ember 2000 e only The applicar informed acc | nt has been cordingly. |
| Juhani Kupiainen Patent Agent For Internation 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): 3. The date of receipt of the demand is Affrom the priority date and item 4 or 5, The date of receipt of the demand is | TER the expiration of below, does not app | 26 Novements 19 months ly | ember 2000 e only The application informed action the priority date a | nt has been cordingly. s extended by virtue o |
| Juhani Kupiainen Patent Agent For Internation 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): 3. The date of receipt of the demand is Affrom the priority date and item 4 or 5, 4. Rule 80.5. 5. Although the date of receipt of the deris EXCUSED pursuant to Rule 82. | TER the expiration of below, does not app | 26 Novement 26 Nov | ember 2000 e only The application informed action the priority date a | nt has been cordingly. s extended by virtue o |

PCT

FEE CALCULATION SHEET

Annex to the Demand for international preliminary examination

| International application No. PCT/FI00/00353 | For International Preliminary Examining Authority use only |
|--|--|
| Applicant's or agent's file reference 49705/ML/MM | Date stamp of the IPEA |
| Applicant NOKIA NETWORKS OY | |
| Calculation of prescribed fees | |
| Preliminary examination fee | EUR 1533 P |
| 2. Handling fee (Applicants from certain States are entitled to a reduction of 75% of the handling fee. Where the applicant is (or all applicants are) so entitled, the amount to be entered at H is 25% of the handling fee.) | EUR 147 H |
| 3. Total of prescribed fees Add the amounts entered at P and H and enter total in the TOTAL box | EUR 1680 |
| Mode of Payment | |
| authorization to charge deposit account with the IPEA (see below) cash | |
| cheque revenue | e stamps |
| postal money order coupons | s |
| bank draft other (s) Bank transfel 157230-3403 | r to account |
| Deposit Account Authorization (this mode of payment may not | |
| (this check-box may be marked onh | by if the conditions for deposit accounts of the IPEA so permit) is hereby ency or credit any overpayment in the total fees indicated above to |
| Deposit Account Number Date (day/month/year) | Signature |
| Date day/monavyear | O I Brianco I O |

| 0 | For receiving Office use only | |
|---------|--|----------------------------------|
| 0-1 | International Application No. | |
| 0-2 | International Filip Data | |
| 0-2 | International Filing Date | |
| | Non- of the control o | |
| 0-3 | Name of receiving Office and "PCT International Application" | · |
| | | |
| | | |
| 0-4 | Form - PCT/RO/101 PCT Request | |
| 0-4-1 | Prepared using | PCT-EASY Version 2.90 |
| | | (updated 08.03.2000) |
| 0-5 | Petition | |
| | The undersigned requests that the present international application be | |
| | processed according to the Patent | |
| | Cooperation Treaty | |
| 0-6 | Receiving Office (specified by the applicant) | National Board of Patents and |
| | 1 | Registration (Finland) (RO/FI) |
| 0-7 | Applicant's or agent's file reference | 49705 |
| 1 | Title of invention | NEW METHOD FOR CHECKING THE DATA |
| 11 | Applicant | |
| II-1 | This person is: | applicant only |
| II-2 | Applicant for | all designated States except US |
| 11-4 | Name | NOKIA NETWORKS OY |
| II-5 | Address: | P.O. Box 300 |
| | · | FIN-00045 Nokia Group |
| | | Finland |
| 11-6 | State of nationality | FI |
| 11-7 | State of residence | FI |
| 11-8 | Telephone No. | +358-9-51121 |
| 11-9 | Facsimile No. | +358-9-51168080 |
| III-1 | Applicant and/or inventor | |
| III-1-1 | This person is: | applicant and inventor |
| III-1-2 | Applicant for | US only |
| III-1-4 | Name (LAST, First) | HAUMONT, Serge |
| III-1-5 | Address: | Riistavuorenkuja 3 B 10 |
| | | FIN-00320 Helsinki |
| | | Finland |
| III-1-6 | State of nationality | FR |
| III-1-7 | State of residence | FI |
| | | FL |

| IV-1 | Agent or common representative; or address for correspondence The person identified below is | agent |
|--------|---|--|
| | hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: | agent . |
| IV-1-1 | Name | BERGGREN OY AB |
| IV-1-2 | Address: | P.O. Box 16 |
| | | FIN-00101 Helsinki |
| | · | Finland |
| IV-1-3 | Telephone No. | +358-9-693701 |
| IV-1-4 | Facsimile No. | +358-9-6933944 |
| IV-1-5 | e-mail | email.box@berggren.fi |
| v | Designation of States | |
| V-1 | Regional Patent (other kinds of protection or treatment, if | AP: GH GM KE LS MW SD SL SZ TZ UG ZW and |
| | any, are specified between parentheses | |
| | after the designation(s) concerned) | State of the Harare Protocol and of the |
| | | PCT |
| | | EA: AM AZ BY KG KZ MD RU TJ TM and any |
| | | other State which is a Contracting State |
| | | of the Eurasian Patent Convention and of |
| | | the PCT |
| | | EP: AT BE CH&LI CY DE DK ES FI FR GB GR |
| | · | IE IT LU MC NL PT SE and any other State |
| • | | which is a Contracting State of the |
| | | European Patent Convention and of the |
| | · · | PCT |
| | | OA: BF BJ CF CG CI CM GA GN GW ML MR NE |
| | | SN TD TG and any other State which is a |
| | · | member State of OAPI and a Contracting |
| | · | State of the PCT |
| V-2 | National Patent (other kinds of protection or treatment, if | AE AG AL AM AT AU AZ BA BB BG BR BY CA |
| | any, are specified between parentheses | |
| | after the designation(s) concerned) | GB GD GE GH GM HR HU ID IL IN IS JP KE |
| | | KG KP KR KZ LC LK LR LS LT LU LV MA MD |
| | | MG MK MN MW MX NO NZ PL PT RO RU SD SE |
| | | SG SI SK SL TJ TM TR TT TZ UA UG US UZ |
| | | VN YU ZA ZW |

| V-5 | Precautionary Designation Statement | | |
|---------|---|----------------------------|-------------------------------|
| | In addition to the designations made | | |
| | under items V-1, V-2 and V-3, the | | |
| | applicant also makes under Rule 4.9(b) all designations which would be | | · |
| | permitted under the PCT except any | | |
| | designation(s) of the State(s) indicated | | |
| | under item V-6 below. The applicant | | |
| | declares that those additional | | |
| | designations are subject to confirmation | | • |
| | and that any designation which is not confirmed before the expiration of 15 | • | |
| | months from the priority date is to be | | • |
| | regarded as withdrawn by the applicant | | |
| | at the expiration of that time limit. | | · |
| V-6 | Exclusion(s) from precautionary | NONE | |
| | designations | | |
| VI-1 | Priority claim of earlier national | | |
| | application | | |
| VI-1-1 | Filing date | 26 April 1999 (26.04 | .1999) |
| VI-1-2 | Number | 990936 | |
| VI-1-3 | Country | FI | |
| VI-2 | Priority document request | | |
| | The receiving Office is requested to | VI-1 | · |
| | prepare and transmit to the International | | • |
| | Bureau a certified copy of the earlier | | |
| | application(s) identified above as item(s): | • | |
| VII-1 | International Searching Authority | European Patent Offi | CA (FDO) (TGA/FD) |
| | Chosen | Ediopean Facent Olli | Ce (EFO) (ISA/EF) |
| VIII | Check list | number of sheets | electronic file(s) attached ` |
| VIII-1 | Request | 4 | - |
| VIII-2 | Description | 11 | - |
| VIII-3 | Claims | 3 | - |
| VIII-4 | Abstract | 1 | 49705.txt |
| VIII-5 | Drawings | 4 | - |
| VIII-7 | TOTAL | 23 | |
| | Accompanying items | paper document(s) attached | electronic file(s) attached |
| VIII-8 | Fee calculation sheet | ✓ | - |
| VIII-9 | Separate signed power of attorney | ✓ | _ |
| VIII-10 | Copy of general power of attorney | √ | - |
| VIII-16 | PCT-EASY diskette | - | diskette |
| VIII-18 | Figure of the drawings which should accompany the abstract | 2 | |
| VIII-19 | Language of filing of the international application | English | |
| IX-1 | Signature of applicant or agent | Mrst | |
| IX-1-1 | Name | BERGGREN OY AB | |
| IX-1-2 | Name of signatory | Markus Levlin | |
| IX-1-3 | Capacity | Patent Agent | |
| | <u> </u> | ····· | |

FOR RECEIVING OFFICE USE ONLY

| 10-1 | Date of actual receipt of the purported international application | |
|--------|---|--------|
| 10-2 | Drawings: | |
| 10-2-1 | Received | |
| 10-2-2 | Not received | · |
| 10-3 | Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application | |
| 10-4 | Date of timely receipt of the required corrections under PCT Article 11(2) | |
| 10-5 | International Searching Authority | ISA/EP |
| 10-6 | Transmittal of search copy delayed until search fee is paid | |

FOR INTERNATIONAL BUREAU USE ONLY

| | | <u> </u> |
|------|---------------------------------------|----------|
| 11-1 | Date of receipt of the record copy by | |
| | the International Bureau | |

(This sheet is not part of and does not count as a sheet of the international application)

| | (upda 49705 NOKIA | | | |
|---|--|--|---|--|
| rm - PCT/RO/101 (Annex) T Fee Calculation Sheet pared using Dilicant's or agent's file reference collicant culation of prescribed fees nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | (upda 49705 NOKIA fee amo | NETWORK | S OY, et al. total amounts (FIM) | |
| T Fee Calculation Sheet pared using plicant's or agent's file reference plicant culation of prescribed fees insmittal fee arch fee grational fee Basic fee (first 30 sheets) | (upda 49705 NOKIA fee amo | NETWORK | S OY, et al. total amounts (FIM) | |
| T Fee Calculation Sheet pared using plicant's or agent's file reference plicant culation of prescribed fees insmittal fee arch fee grational fee Basic fee (first 30 sheets) | (upda 49705 NOKIA fee amo | NETWORK | S OY, et al. total amounts (FIM) | |
| policant's or agent's file reference policant culation of prescribed fees nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | (upda 49705 NOKIA fee amo | NETWORK | S OY, et al. total amounts (FIM) | |
| culation of prescribed fees nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | 49705 NOKIA fee amo | NETWORK ount/multiplier ⇔ | S OY, et al. total amounts (FIM) | |
| culation of prescribed fees nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | NOKIA fee amo | NETWORK. cunt/multiplier | total amounts (FIM) | |
| culation of prescribed fees nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | fee amo | ount/multiplier | total amounts (FIM) | |
| nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | fee amo | ount/multiplier | total amounts (FIM) | |
| nsmittal fee arch fee emational fee Basic fee (first 30 sheets) | s | | 800 | |
| emational fee Basic fee (first 30 sheets) | | Ŷ | 5 618,71 | |
| Basic fee (first 30 sheets) | 1 | | | <u> </u> |
| (first 30 sheets) | 1 | | | |
| | 1 | | _ | |
| | 1 | 2 431,8 | | |
| Remaining sheets | 0 | | · | |
| Additional amount (2 | 0 53,51 | | | |
| - · · · · · · · · · · · · · · · · · · · | 2 | 0 | | |
| b1 + b2 = | В | 2 431,8 | | |
| Designation fees | | | e. | • |
| | 85 | | | |
| | | | | |
| payable (maximum 8) | 8 | | | |
| Amount of designation fee (2 | 0 523,2 | 2 | | , |
| Total designation fees | D | 4 185,76 | | |
| PCT-EASY fee reduction | | | | |
| al International fee (B+D-R) | 1 | ⇔ . | 5 868,4 | |
| for priority document | 1 | | | <u> </u> |
| Number of priority documents | 1 | | | |
| | 0 422 | | | |
| al priority document fee | | ⇔ | 422 | |
| TAL FEES PAYABLE (T+S+I+P) | | ⇔ | 12 709,11 | |
| | checu | | | 1 |
| Paa | Number of designations contained in international application Number of designation fees payable (maximum 8) Amount of designation fee (2) Total designation fees PCT-EASY fee reduction I International fee (B+D-R) for priority document Number of priority documents requested Fee per document (2) I priority document fee | Number of designations contained in international application Number of designation fees payable (maximum 8) Amount of designation fee (X) 523,2 Total designation fees D CT-EASY fee reduction R I International fee (B+D-R) I for priority document Number of priority documents requested Fee per document (X) 422 I priority document fee P AL FEES PAYABLE (T+S+I+P) | Number of designations contained in international application Number of designation fees payable (maximum 8) Amount of designation fee (X) 523,22 Total designation fees D 4 185,76 CCT-EASY fee reduction R -749,16 International fee (B+D-R) I | Number of designations contained in international application Number of designation fees payable (maximum 8) Amount of designation fee (X) 523,22 Total designation fees D 4 185,76 CT-EASY fee reduction R -749,16 International fee (B+D-R) I |

VALIDATION LOG AND REMARKS

| 13-2-6 | Validation messages | Green? | | |
|--------|---------------------|--|--|--|
| | Contents | Reference number for attached copy of | | |
| | | general power of attorney not indicated. | | |

2/2

Validation messages

Fees

13-2-7

PCT (ANNEX - FEE CALCULATION SHEET)
Original (for SUBMISSION) - printed on 25.04.2000 10:40:41 AM

Green? Please verify that modified fee amounts are correct.

49705

49705

Original (for SUBMISSION) - printed on 25.04.2000 10:40:41 AM

PCT-EASY INFORMATION SHEET

(For applicant use only, DO NOT submit this sheet with the international application)

VALIDATION LOG

| | Contents |
|--------|--|
| Green? | Reference number for attached copy of general power of attorney not indicated. |
| | Fees |
| Green? | Please verify that modified fee amounts are correct. |

Before submitting the International Application, please carefully verify that:

- -the information contained on printed Request form is correct;
- -Box IX of the Request form has been signed;
- -all elements of the international application as indicated in Box VIII of the Request form have been attached; and,
- -the diskette containing the PCT-EASY zip file of the International Application has been enclosed and has been clearly labeled "PCT-EASY", with the applicant's or agent's file reference, and the first applicant's name.

ATTENTION

DO NOT modify any indications on the Request form printout. The attached PCT-EASY application has been locked. If an error or an omission is discovered at this time, you must copy the submitted application as a template and make the change or correction in a new application (using the submitted application as a template). You may create such a template by copying the submitted application from the "Stored Forms" folder to the "New PCT Forms" folder. Open the new (.0WO) file created in the "New PCT Forms" folder, correct the errors and proceed with the submission process again.

Patent Office PATENTTI- JA REKISTERIHALLITUS Patentti- ja innovaatiolinja Patent & Innovation

SEARCH REPORT
TUTKIMUSRAPORTTI

| PATENTTIHAKEMUS NRO Appln. No. | LUOKITUS Classification |
|-----------------------------------|----------------------------|
| 990936 | H04L9/00 |
| | |

| TUTKITTU AINEISTO Research material |
|--|
| Patenttijulkaisukokoelma (FI, SE, NO, DK, DE, CH, EP, WO, GB, US), tutkitut luokat |
| H04L9, H04K1, H04Q1, G09C1 Published patent specification, researched classes |
| |
| |

Tiedonhaut ja muu aineisto Data search and other material EPODOC, WPI, PAJ

| Kategoria*⁾ Category | Julkaisun tunnistetiedot Identification data | Koskee vaatimuksia | Releva to |
|---|--|-----------------------|--------------|
| Α | US5054066, H04L9/30, Grumman Corporation, palsta 2 rivi 35 - palsta 3 | 1, 2, 3, 6, | clain |
| | rivi 36, palsta 7 rivit 10 - 50 | 9 - 11, 13, 15 | |
| Α | US5345507, H04L9/28, International Business Machines Corporation, | 1 - 3, 5, 6, | |
| | palsta 2 rivi 17 - palsta 3 rivi 17, palsta 3 rivi 35 - palsta 7 rivi 44 | 9 - 15 | |
| Α | US5889864, H04L9/00, Plessey Semiconductors Limited, palsta 2 rivit 5 - 43 | 1-3, 5, 6, 9-15 | |
| A | US5694471, H04L9/00, V-ONE Corporation, palsta 3 rivi 25 - palsta 5 | 1, 2, 5, 6, | |
| | rivi 18, palsta 7 rivi 33 - palsta 8 rivi 27 | 9 - 14 | |
| Α | EP0840478, H04L9/32, Hitachi, Ltd., sivu 4 rivi 25 - sivu 5 rivi 13 | 1-3,6,10,11,13 | |

*) X Patentoitavuuden kannalta merkittävä julkaisu yksinään tarkasteltuna

Y Patentoitavuuden kannalta merkittävä julkaisu, kun otetaan huomioon tämä ja yksi tai useampi samaan kategoriaan kuuluva julkaisu

A) Technological background, not a novelty bar.

A Yleistä tekniikan tasoa edustava julkaisu, ei kuitenkaan patentoitavuuden este

Päiväys Date 25.5.2000

Tutkija Examiner

Ilpo Tuomi

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

From the INTERNATIONAL BUREAU

To:

BERGGREN OY AB P.O. Box 16 FIN-00101 Helsinki FINLANDE

> Berggren Oy Ab 10 -11- 2000

Date of mailing (day/month/year)

02 November 2000 (02.11.00)

Applicant's or agent's file reference

49705 /MC/MM

IMPORTANT NOTICE

International application No. PCT/FI00/00353

International filing date (day/month/year)

Priority date (day/month/year) 26 April 1999 (26.04.99)

53 25 April 2000 (25.04.00)

Applicant

NOKIA NETWORKS OY et al

Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application
to the following designated Offices on the date indicated above as the date of mailing of this Notice:
AG,AU,DZ,KP,KR,US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE,AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,CA,CH,CN,CR,CU,CZ,DE,DK,DM,EA,EE,EP,ES,FI,GB,GD,GE,GH,GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MA,MD,MG,MK,MN,MW,MX,NO,NZ,OA,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,TZ,UA,UG,UZ,VN,YU,ZA,ZW The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 02 November 2000 (02.11.00) under No. WO 00/65765

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35



Continuation of Form PCT/IB/2

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

| Date of mailing (day/month/year) 02 November 2000 (02.11.00) | IMPORTANT NOTICE |
|--|--|
| Applicant's or agent's file reference 49705 | International application No. PCT/FI00/00353 |

The applicant is hereby notified that, at the time of establishment of this Notice, the time limit under Rule 46.1 for making amendments under Article 19 has not yet expired and the International Bureau had received neither such amendments nor a declaration that the applicant does not wish to make amendments.



PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

| Applicant's | or age | ent's file reference | T | 0 N- | We also of Tananital of International |
|-------------------------|----------------|--|--|----------------------|--|
| 49705/M | _ | | FOR FURTHER AC | | tification of Transmittal of International nary Examination Report (Form PCT/IPEA/416) |
| Internationa | | <u></u> | International filing date (| day/month/year) | Priority date (day/month/year) |
| PCT/FI00 | | | 25/04/2000 | | 26/04/1999 |
| Internationa H04L9/0 | | ent Classification (IPC) or na | ational classification and IPC | | |
| Applicant | | | | | A |
| NOKIA N | IETW | ORKS OY et al. | 100000000000000000000000000000000000000 | | |
| | | ational preliminary exam smitted to the applicant | | prepared by this I | nternational Preliminary Examining Authority |
| 2. This I | REPC | PRT consists of a total of | f 8 sheets, including this | s cover sheet. | |
| b (: | een a see R | | sis for this report and/or 07 of the Administrative | sheets containing | otion, claims and/or drawings which have grectifications made before this Authority or the PCT). |
| 3. This i | report | contains indications rela | ating to the following iter | ms: | |
| 11 | | Priority | | | |
| III | | Non-establishment of | opinion with regard to no | ovelty, inventive st | ep and industrial applicability |
| IV | | Lack of unity of inventi | | | |
| V | × | | inder Article 35(2) with ri ions suporting such state | | nventive step or industrial applicability; |
| VI | | Certain documents cit | ted | | |
| VII | \boxtimes | Certain defects in the i | international application | | |
| VIII | | Certain observations of | on the international appli | cation | |
| Date of sub | omissio | on of the demand | | Date of completion | n of this report |
| 26/11/20 | 00 | • | · | 27.07.2001 | |
| | exam | g address of the internation ining authority: opean Patent Office | al | Authorized officer | See Marianes Missign |
| | D-8 | 0298 Munich | S comu d | Apostolescu, F | |
| | | +49 89 2399 - 0 Tx: 52365 · +49 89 2399 - 4465 | oo epinu u | | 0.00.0000 7050 |

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/FI00/00353

| l. | Basis | of 1 | the | report | |
|----|-------|------|-----|--------|--|
|----|-------|------|-----|--------|--|

| 1. | the and | receiving Office in I | response to an invitatior | al application (Replacement sheets which have been furnished to under Article 14 are referred to in this report as "originally filed" to not contain amendments (Rules 70.16 and 70.17)): |
|----|------------|---------------------------------------|---|---|
| | 1-3, | 7-11 | as originally filed | |
| | 4-6 | | with telefax of | 06/07/2001 |
| | Cla | ims, No.: | | |
| | 1-17 | 7 | with telefax of | 06/07/2001 |
| | Dra | wings, sheets: | | |
| | 1/4- | 4/4 | as originally filed | |
| | | | | |
| 2. | | | | marked above were available or furnished to this Authority in the was filed, unless otherwise indicated under this item. |
| | The | se elements were a | available or furnished to | this Authority in the following language: , which is: |
| | | the language of a | translation furnished for | the purposes of the international search (under Rule 23.1(b)). |
| | | the language of pu | ublication of the internati | onal application (under Rule 48.3(b)). |
| | | the language of a 55.2 and/or 55.3). | translation furnished for | the purposes of international preliminary examination (under Rule |
| 3. | | | | acid sequence disclosed in the international application, the ed out on the basis of the sequence listing: |
| | | contained in the in | ternational application in | n written form. |
| | | filed together with | the international applica | tion in computer readable form. |
| | | furnished subsequ | ently to this Authority in | written form. |
| | | furnished subsequ | ently to this Authority in | computer readable form. |
| | | | t the subsequently furni pplication as filed has b | shed written sequence listing does not go beyond the disclosure in een furnished. |
| | | The statement tha listing has been fu | | ed in computer readable form is identical to the written sequence |
| 4. | The | amendments have | e resulted in the cancella | ation of: |

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/FI00/00353

| | | the description, | pages: | | |
|----|------|---|-------------|------------------|---|
| | | the claims, | Nos.: | | |
| | | the drawings, | sheets: | | |
| 5. | | • | | | ome of) the amendments had not been made, since they have beer as filed (Rule 70.2(c)): |
| | | (Any replacement sh report.) | eet contair | ning such | amendments must be referred to under item 1 and annexed to this |
| 6. | Add | litional observations, i | f necessar | y: | |
| V. | | asoned statement un tions and explanatio | | | ith regard to novelty, inventive step or industrial applicability; th statement |
| 1. | Stat | tement | | | |
| | Nov | velty (N) | Yes: No: | Claims Claims | 1-17 |
| | inve | entive step (IS) | Yes: | Claims | 13, 14, 15, 16, 17 |

Claims 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12

2. Citations and explanations see separate sheet

Industrial applicability (IA)

VII. Certain defects in the international application

No:

Yes:

No:

The following defects in the form or contents of the international application have been noted: see separate sheet

Claims 1-17

Claims

EXAMINATION REPORT - SEPARATE SHEET

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

EP 0 564 825 A2 (NOKIA TECHNOLOGY GMBH) 13 October 1993 D1:

D2: EP 0 400 234 A1 (M.H. FRANCISCO) 5 December 1990

1. Independent claim 1.

Document D2 (see in particular column 2, line 23 to column 3, line 11; fig. 1), which is considered to represent the most relevant state of the art, discloses, according to the main features of claim 1, a method for checking of data, characterized in that a first reference value is calculated at least partly based on a first authentication value (column 2, line 53 to column 3, line 2).

The subject-matter of claim 1 differs from this disclosure in the calculation of the first reference value.

The problem to be solved by the present invention may therefore be regarded as how to provide an alternative method for calculating the first reference value.

It would be immediately apparent to the person skilled in the art of cryptography that the method known from D2 could be, by some modifications (e. g. combining the authentication value and a error check value with a logical function, said error check value being calculated from the data to be checked) generally known in the art (see document D1, fig. 1), adapted to provide an alternative method for calculating a first reference value.

The skilled person would thus arrive, without the exercise of inventive skill, at a method for checking of data according to claim 1.

The subject-matter of claim 1 does therefore not involve an inventive step (Article 33 (3) PCT).

2. Independent claim 11.

Document D2 (see in particular column 2, line 23 to column 3, line 11; fig. 1) discloses, according to the main features of claim 11, a transmitter that comprises means for deriving an authentication value from the data to be transmitted.

The subject-matter of claim 11 differs from this disclosure in that the transmitter comprises means for deriving an error check value and means for combining the authentication value and said error check value with a logical function for producing a first reference value.

The problem to be solved by the present invention may therefore be regarded as how to provide a transmitter that comprises means for producing a first reference value.

It would be immediately apparent to the person skilled in the art of cryptography that the transmitter known from D2 could be, by some modifications (e. g. including in the transmitter means for deriving an error check value from the data to be transmitted and means for combining the authentication value and said error check value with a logical function) generally known in the art (see document D1, fig. 1), adapted to provide a transmitter that comprises means for producing a reference value.

The skilled person would thus arrive, without the exercise of inventive skill, at a transmitter according to claim 11.

The subject-matter of claim 11 does therefore not involve an inventive step (Article 33 (3) PCT).

The applicant did not put forward any convincing arguments in his replay dated 6.07.01. He only defined in more detail the reference value, the check value and the authentication value used in the claimed method and apparatus invention. As already argued in the first Written Opinion, these values and how these values are calculated are already known from the prior art documents D1 and D2.

EXAMINATION REPORT - SEPARATE SHEET

3. Independent claims 13 and 15.

It is considered that independent claims 13 and 15 relate to new and inventive subjectmatter (Articles 33 (2) and (3) PCT), since the prior art does not disclose or suggest the specifically claimed receiver for receiving data having means for checking received data according to claim 13 and does not disclose or suggest the specifically claimed station (including the receiver of claim 13) according to claim 15.

Document D1 discloses a method for identifying secret data messages in a transmitting system where a cyclic redundancy check-sum is used for error check. For the CRCcalculation of the secret message a back coupled transfer register is used. When the CRC-value is calculated for the transmitted message, a 16-bit CRC-value is got with a 16-bit coding circuit. The CRC-value is taken to XOR-function together with the unique CRC-identification. The produced CRC-part is added to the end of the message and transmitted to the receiver.

The calculation of an authentication value is already known in the art for example from document D2. A message to be transmitted is introduced in an electronic identification indicia generator. The generator is adapted to generate a first electronic identification indicia that uniquely and selectively identifies the message to be transmitted. Such a generator could generate a selective and unique indicia by the use of a preprogrammed algorithm. The indicia is inserted into the message header and forms a predetermined and readily locatable part of the message passed on to the message transmitter for transmission to a remote location. After receipt of the message by the receiver, a second electronic identification indicia is calculated by an indicia generator using the same algorithm as the generator of the transmitter. A comparator checks if the first and second indicia do match.

The present invention is directed to a receiver (and a transmitter including said receiver) that calculates a second reference value (the first reference value being derived from the received data) and compares this value with a third value from the set of a) the error check value calculated from the received data, b) the authentication value derived for the received data and c) the first reference value.

This specifically claimed receiver and transmitter has the advantage of increasing security in a data transmission system.

EXAMINATION REPORT - SEPARATE SHEET

4. Dependent claims 3, 4, 5, 7, 8 and 12.

The dependent claims 3, 4, 5, 7, 8 and 12 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, involve an inventive step for the following reasons: the subject-matter of said claims is either directly derivable from the prior art documents D1 and D2 or represent minor design details generally known in the field of communications.

Therefore, the dependent claims 3, 4, 5, 7, 8 and 12 do not meet the requirements of the PCT in respect of inventive step (Articles 33 (3) PCT).

5. Dependent claims 14, 16 and 17.

Dependent claims 14, 16 and 17 contain further details of the receiver of claim 13 and of the transmitter of claim 15 respectively. As they are dependent on claims 13 and 15 respectively, they also satisfy the requirements for novelty and inventive step (Article 33 (2) and (3) PCT).

6. Dependent claims 2, 6, 9 and 10.

The features of dependent claim 2 in combination with the features of claim 1 are not disclosed in their present form in any of the documents cited in the search report.

A new independent claim containing all the features of claims 1 and 2 as presently filed would meet the requirements of Article 33 (3) PCT.

The features of dependent claims 6, 9 and 10 in combination with the features of claim 2 are not disclosed in their present form in any of the documents cited in the search report.

These claims once made dependent on such a new independent claim would also meet the requirements of Article 33 (3) PCT.

INTERNATIONAL PRELIMINARY

International application No. PCT/FI00/00353

EXAMINATION REPORT - SEPARATE SHEET

Re Item VII

Certain defects in the international application

Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1 and D2 is not mentioned in the description, nor are these documents identified therein.

5

4

+358-9-6933944

without increasing the packet size. It provides a simple per packet authentication so that the receiver can with one check determine if the packet is valid or not. A second object of the present invention is to provide a transmitter, which is capable of arranging the authentication value into a packet so that the packet size is not increased. A third object of the present invention is to provide a receiver, which is capable of checking, if the transmitted data has changed in the transmission path. A fourth object of the present invention is to provide a mobile station which is capable of transmitting and receiving the authentication value without increasing the packet size.

- The above stated objects are achieved by combining the authentication value to the error check data so that it does not add the packet size. Combining the authentication value to error check data is done by using a logical function, for example. At the receiving end the combination of the error check value and the authentication value is processed so that the integrity of the data can be checked.
- The advantage of the present invention is that by using this arrangement in a telecommunication system the bandwidth of the system can be saved. It also enables the use of digital signatures with fixed length frames of present protocols without changing the frame formats. As a result, the authenticity can be provided without increasing the packet size. One very important aspect is that the invention is applicable in all digital communication systems.

The method according to the invention is a method for checking data, and it is characterized in that a first reference value is calculated at least partly based on a first error check value calculated from the data and a first authentication value for the data.

- The transmitter according to the invention is characterized in that the transmitter comprises
 - means for deriving an authentication value from the data to be transmitted,
 - means for deriving an error check value from the data to be transmitted and
- means for combining said authentication value and said error check value with a
 logical function for producing a first reference value.

The receiver for receiving data having means for checking received data according to the invention is characterized in that the receiver comprises

+359-9-6922044

5

- means for deriving a first reference value from the received data,
- means for calculating a second error check value from the received data,
- means for deriving an authentication value for the received data,
- means for calculating a second reference value at least partly based on a first and a second value from the set of said second error check value, a second authentication value and said first reference value, and
 - means for comparing said second reference value with a third value from the set of said second error check value, said second authentication value and said first reference value.
- The station, comprising a transmitter and a receiver, according to the invention is characterized in that the transmitter comprises
 - means for deriving a first authentication value from the data to be transmitted,
 - means for deriving a first error check value from the data to be transmitted, and
- means for combining said first authentication value and said first error check value
 with a logical function for producing a first reference value

and the receiver comprises

- means for deriving a first reference value from the received data,
- means for calculating a second error check value from the received data,
- means for deriving an authentication value for the received data, this 20 authentication value being a second authentication value,
 - means for calculating a second reference value at least partly based on a first and a second value from the set of said second error check value, said second authentication value and said first reference value, and
- means for comparing said second reference value with a third value from the set of said second error check value, said second authentication value and said first reference value.

The present invention will now be described more in detail in the following with the reference to the accompanying drawings, in which

6

- fig. 1 illustrates one possible arrangement of the GPRS network,
- fig. 2 illustrates one possible arrangement at the sending end,
- fig. 3 illustrates one possible arrangement at the receiving end and
- fig. 4 illustrates a block diagram of a mobile station.
- 5 In the present invention the data transmitted is processed at the both ends, that is at the sending end and at the receiving end, in the same way so that the integrity of the message can be checked. At the sending end, as shown in figure 2, the error check value, which in this preferred embodiment is a CRC 205, is derived from the original data 201. Next, the authentication value 202, which can be derived for instance by using a packet number or a secret key as an input and a secret algorithm, 10 is combined to the CRC field. The broken line describes that the authentication value 202 is in some way derived from the original data 201. The combination of the CRC 205 and the authentication value 202 is carried out in this preferred embodiment of the invention by using the logical function "exclusive-OR" (XOR) 203. XOR 203 is a function which produces an output of 1 when exactly one of its 15 two inputs is 1. As a result, the data, which is to be sent, comprises the original data field 201 and another field, which consists of the XORed value 308 of the CRC 205 and the authentication value 202. To a man skilled in the art it is obvious that the authentication value 202 can be any value, which is advantageously possible to 20 derive from the original data 201.

At the receiving end the data received is arranged to be processed vice versa, as shown in figure 3. The XORed data 308 is re-XORed 203 with the authentication value 302, which is the same as the authentication value 202 at the sending end in a case where the data sent is not changed. The authentication value 302 can be derived from the received data 301 in the same way as at the sending end. By using the rules of binary algebra the result of this re-XORing 203 is CRC value 304. By comparing 305 this CRC 304 to another CRC 303 calculated at the receiving end from the received data, it can be found, if the data has changed in the transmission path. If the comparison 302 shows that the CRCs 303; 304 are the same, it means that the received data 301 has been transmitted without any changes 306. But, if the comparison 305 shows that the CRCs 303; 304 differ from each other, it means that the original data 201 has changed in the transmission path, or that the authentication value 302 was not correct at the receiving end. As a result, the data received can be erased 306.

25

30

+358-9-693324

12

Claims

5

- 1. A method for checking of data, characterized in that
- a first reference value (204) is calculated (203) at least partly based on a first error check value (205) calculated from the data and a first authentication value (202) for the data.
- 2. A method according to claim 1, characterized in that when checking the data
- a second error check value (303) is calculated from the data,
- a second authentication value (302) is derived for the data,
- a second reference value is calculated at least partly based on a first and a second value from the set of said second error check value, said second authentication value and said first reference value.
 - said second reference value is compared (305) with a third value from the set of said second error check value, said second authentication value and said first reference value.
- 15 3. A method according to claim 1, characterized in that the data is in the form of packets to be sent from a transmitter to a receiver and said first reference value is added to the packet to be sent.
 - 4. A method according to claim 3, characterized in that the data is to be sent in a cellular system.
- 20 5. A method according to claim 1, characterized in that said calculation is performed with the exclusive-OR function.
 - 6. A method according to claim 2, characterized in that said first and second authentication values (202; 302) are derived at least partly based on a secret key.
- 7. A method according to claim 3, characterized in that said first authentication value (202) is derived at least partly based on a packet number.
 - 8. A method according to claim 3, characterized in that said first authentication value (202) is derived at least partly based on the direction of the packet to be transmitted.

MISTA-BE

- 9. A method according to claim 2, characterized in that said first and second error check values are CRC values (205; 303; 304).
- 10. A method according to claim 2, characterized in that said first and second authentication values are calculated at least partly based on the data.
- 5 11. A transmitter, characterized in that the transmitter comprises
 - means for deriving an authentication value (202) from the data to be transmitted (201),
 - means for deriving an error check value (205) from the data to be transmitted (201) and
- means for combining said authentication value (202) and said error check value (205) with a logical function for producing a first reference value (204).
 - 12. A transmitter according to claim 11, characterized in that said logical function is exclusive-OR (203).
- 13. A receiver for receiving data having means for checking received data,

 15 characterized in that the receiver comprises
 - means for deriving a first reference value (308) from the received data,
 - means for calculating an error check value (303) from the received data,
 - means for deriving an authentication value (302) for the received data,
- means for calculating a second reference value at least partly based on a first and a second value from the set of said error check value, said authentication value and said first reference value, and
 - means for comparing said second reference value with a third value from the set of said error check value, said authentication value and said first reference value.
- 14. A receiver according to claim 13, characterized in that the receiver is arranged to carry out the logical function exclusive-OR (203).
 - 15. A station, comprising a transmitter and a receiver, characterized in that the transmitter comprises

+358-8-

- means for deriving a first authentication value (202) from the data to be transmitted (201),
- means for deriving a first error check value (205) from the data to be transmitted (201) and
- 5 means for combining said first authentication value (202) and said first error check value (205) with a logical function for producing a first reference value (204),

and the receiver comprises

- means for deriving a first reference value (308) from the received data,
- means for calculating a second error check value (303) from the received data,
- means for deriving an authentication value (302) for the received data, this authentication value being a second authentication value,
 - means for calculating a second reference value at least partly based on a first and a second value from the set of said second error check value, said second authentication value and said first reference value, and
- 15 means for comparing said second reference value with a third value from the set of said second error check value, said second authentication value and said first reference value.
 - 16. A station according to claim 15, characterized in that the mobile station (101) is arranged to carry out the logical function exclusive-OR (203).
- 20 17. A station according to claims 15 or 16, characterized in that the station is a mobile station (101).

(.



INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY PCT **BERGGREN OY AB** Gerggren Ou Ab P.O. Box 16 00101 Helsinki WRITTEN OPINION **FINLANDE** (PCT Rule 66) Date of mailing 08.05.2001 (day/month/year) **REPLY DUE** Applicant's or agent's file reference within 2 month(s) from the above date of mailing 49705/ML/MM International application No. International filing date (day/month/year) Priority date (day/month/year) PCT/FI00/00353 25/04/2000 26/04/1999 International Patent Classification (IPC) or both national classification and IPC H04L9/00 Applicant NOKIA NETWORKS OY et al. This written opinion is the first drawn up by this International Preliminary Examining Authority. This opinion contains indications relating to the following items: Basis of the opinion 1 \boxtimes П ☐ Priority Ш Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV Lack of unity of invention Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI Certain document cited VII Certain defects in the international application VIII Certain observations on the international application The applicant is hereby invited to reply to this opinion. When? See the time limit indicated above. The applicant may, before the expiration of that time limit, request this Authority to grant an extension, see Rule 66.2(d). How? By submitting a written reply, accompanied, where appropriate, by amendments, according to Rule 66.3. For the form and the language of the amendments, see Rules 66.8 and 66.9. Also: For an additional opportunity to submit amendments, see Rule 66.4. For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4 bis. For an informal communication with the examiner, see Rule 66.6. If no reply is filed, the international preliminary examination report will be established on the basis of this opinion. The final date by which the international preliminary examination report must be established according to Rule 69.2 is: 26/08/2001.

Name and mailing address of the international preliminary examining authority:



European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Authorized officer / Examiner

Apostolescu, R

Formalities officer (incl. extension of time limits)

Barrio Baranano, A

Telephone No. +49 89 2399 8621



| ۱. | | | ments of the international application (Replacement sheets which have been furnished to response to an invitation under Article 14 are referred to in this opinion as "originally filed") |
|----|-----|--|---|
| | Des | scription, pages: | |
| | 1-1 | 1 | as originally filed |
| | Cla | ims, No.: | |
| | 1-1 | 7 | as originally filed |
| | Dra | wings, sheets: | |
| | 1/4 | -4/4 | as originally filed |
| | | | |
| 2. | | | guage, all the elements marked above were available or furnished to this Authority in the international application was filed, unless otherwise indicated under this item. |
| | The | se elements were | available or furnished to this Authority in the following language: , which is: |
| | | the language of a | translation furnished for the purposes of the international search (under Rule 23.1(b)). |
| | | the language of po | ublication of the international application (under Rule 48.3(b)). |
| | | the language of a 55.2 and/or 55.3). | translation furnished for the purposes of international preliminary examination (under Rule |
| 3. | | | cleotide and/or amino acid sequence disclosed in the international application, the ry examination was carried out on the basis of the sequence listing: |
| | | contained in the in | nternational application in written form. |
| | | filed together with | the international application in computer readable form. |
| | | furnished subsequ | uently to this Authority in written form. |
| | | furnished subsequ | uently to this Authority in computer readable form. |
| | | | at the subsequently furnished written sequence listing does not go beyond the disclosure in pplication as filed has been furnished. |
| | | The statement that listing has been full | at the information recorded in computer readable form is identical to the written sequence urnished. |
| 1. | The | amendments have | e resulted in the cancellation of: |
| | | the description, | pages: |
| | | the claims, | Nos.: |

WRITTEN OPINION

International application No. PCT/FI00/00353

| \square the drawings, sheets |
|--------------------------------|
|--------------------------------|

5.
This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

- 6. Additional observations, if necessary:
- V. Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Claims

Inventive step (IS)

Claims

1, 3, 4, 5, 7, 8, 11, 12

Industrial applicability (IA)

Claims

2. Citations and explanations see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Re Item V

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

D1: EP 0 564 825 A2 (NOKIA TECHNOLOGY GMBH) 13 October 1993

D2: EP 0 400 234 A1 (M.H. FRANCISCO) 5 December 1990

1. Independent claim 1.

Document D2 (see in particular column 2, line 23 to column 3, line 11; fig. 1), which is considered to represent the most relevant state of the art, discloses, according to the main features of claim 1, a method for checking of data, characterized in that a first reference value is calculated at least partly based on a first authentication value (column 2, line 53 to column 3, line 2).

The subject-matter of claim 1 differs from this disclosure in the calculation of the first reference value.

The problem to be solved by the present invention may therefore be regarded as how to provide an alternative method for calculating the first reference value.

It would be immediately apparent to the person skilled in the art of cryptography that the method known from D2 could be, by some modifications (e. g. combining the authentication value and a error check value with a logical function, said error check value being calculated from the data to be checked) generally known in the art (see document D1, fig. 1), adapted to provide an alternative method for calculating a first reference value.

The skilled person would thus arrive, without the exercise of inventive skill, at a method for checking of data according to claim 1.

The subject-matter of claim 1 does therefore not involve an inventive step (Article 33 (3) PCT).

(. . .

2. Independent claim 11.

Document D2 (see in particular column 2, line 23 to column 3, line 11; fig. 1) discloses, according to the main features of claim 11, a transmitter that comprises means for deriving an authentication value from the data to be transmitted.

The subject-matter of claim 11 differs from this disclosure in that the transmitter comprises means for deriving an error check value and means for combining the authentication value and said error check value with a logical function for producing a first reference value.

The problem to be solved by the present invention may therefore be regarded as how to provide a transmitter that comprises means for producing a first reference value.

It would be immediately apparent to the person skilled in the art of cryptography that the transmitter known from D2 could be, by some modifications (e.g. including in the transmitter means for deriving an error check value from the data to be transmitted and means for combining the authentication value and said error check value with a logical function) generally known in the art (see document D1, fig. 1), adapted to provide a transmitter that comprises means for producing a reference value.

The skilled person would thus arrive, without the exercise of inventive skill, at a transmitter according to claim 11.

The subject-matter of claim 11 does therefore not involve an inventive step (Article 33 (3) PCT).

3. Dependent claims 3, 4, 5, 7, 8 and 12.

The dependent claims 3, 4, 5, 7, 8 and 12 do not appear to contain any additional features which, in combination with the features of any claim to which they refer, involve an inventive step for the following reasons: the subject-matter of said claims is either directly derivable from the prior art documents D1 and D2 or represent minor design details generally known in the field of communications.

WRITTEN OPINION SEPARATE SHEET

Therefore, the dependent claims 3, 4, 5, 7, 8 and 12 do not meet the requirements of the PCT in respect of inventive step.

Re Item VII

Certain defects in the international application

- 1. Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1 and D2 is not mentioned in the description, nor are these documents identified therein.
- 2. <u>All</u> features of the claims must be provided with reference signs placed in parentheses (Rule 6.2(b) PCT).
- 3. It seems to be an error in the wording of claim 14. The statement "A receiver according to claim 12 ..." should be replaced by the statement "A receiver according to claim 13 ...".
- 4. It seems to be an error in the wording of claim 12. The statement "A transmitter according to claim 9 ..." should be replaced by the statement "A transmitter according to claim 11 ...".

Re Item VIII

Certain observations on the international application

1. The relative terms "a <u>second</u> error check value" and "a <u>second</u> authentication value" used in the independent claims 13 and 15 have no well-recognised meaning and leaves the reader in doubt as to the meaning of the technical features to which they refers, thereby rendering the definition of the subject-matter of said claims unclear (Article 6 PCT).

A <u>first</u> error check value and a <u>first</u> authentication value have not been used in the independent claims 13 and 15 before.

2. Claims 7 and 8 are dependent on claim 3. The statement used in claims 7 and 8 "said first and second authentication values" is not consistent with the subject-matter of claim 3, where only "a first reference value" is disclosed. Furthermore, claim 3 depend on claim 1, in which only "a first authentication value" is stated.

Therefore, claims 7 and 8 are unclear (Article 6 PCT).



European Patent Office

D-80298 Munich

Germany

 $09/98065\ {\textstyle 7\over \textstyle Managing\ Director}$ JC10 Rec'd PCT/PTO 2 6 OCT 2001" HYÖDYLLISYYSMALLIT:

6 July 2001

Via facsimile: (8 pages) 999-49 89 2399-4465 **CONFIRMATION BY MAIL**

URGENT!

Our Ref.: 49705/SKU/MM

REPLY TO WRITTEN OPINION INTERNATIONAL PATENT APPLICATION NO. PCT/F100/00353 APPLICANT: NOKIA NETWORKS OY

DUE DATE: 8 JULY 2001

In response to the Written Opinion, we respectfully present the following.

A check sum for a piece of data is typically calculated using a known algorithm. Consequently a check sum protects that piece of data from unintentional modifications, such as transmission errors. If the piece of data is modified on purpose, it is possible to recalculate a check sum for the modified piece of data and transmit the modified data onwards with the recalculated check sum. It is known in the field that a check sum may be transmitted together with a corresponding message: both documents D1 and D2, for example, disclose this. Document D2 seems to further disclose a specific method for calculating a check sum. Document D1 further discloses a way to combine information indicating the receiver of the encrypted message to a check sum of an encrypted message.

An authentication value for a piece of data provides typically both data integrity and authenticity of origin (sender). The authenticity of origin is provided typically using secret information, which only the sender (possible also the receiver) is expected to know. The secret information may be, for example, a private key corresponding to a public key of the sender, where said public key is known to the receiver, or a secret key and/or a secret algorithm known to both to the sender and to the receiver. Data integrity is provided typically either using the whole piece of data or a check sum of the piece of data as input for the authentication value. Alternatively, it is possible to ensure integrity and authentication of only a part of the piece of data by using only this part in calculating the authentication value for the piece of data. If either the secret information of the sender is not correct or the protected part of the piece of data is modified on purpose or accidentally, the authentication value reveals this, as it is practically impossible to produce a new authentication value without the secret information. It is also known in the field that an authentication value of a message may be transmitted with the message.

Berggren Oy Ab Osoite • Address: PL 16 • P.O.Box 16 FIN-00101 Helsinki

*European Patent Attorney "European Trademark Attorna. Käyntiosoite • Office: Graniittitalo Jaakonkatu 3 A

Helsink:

Nat 09) 693 701 · Int. +358 9 693 701 Fax -358 9 693 3944

77

email.box@berggren.fi http://www.berggren.fi

Pankit • Bankers: NORDEA SWIFT MRITFIHH SAMPO

SWIFT

157330-15411 800017-90104 **PSPBFIHH**

Yhtiö • Company:

80.802 kroro Trace Feg. No. 80.802 0107002-7 VA-FI01070027 Кстов кка Helsinki

M. Karttunen S. Kuisma M. Laajalahti V. Tognetty S. Ylätalo · MALLIT: · DESIGNS:

· PATENTS

UTILITY MODELS: J. Kupiainen* M. Brax*

E. Heikkinen

B. Lassenius T. Pelin

J. Svensson P. Tanhua* B. Träskman J. Joronen

I. Risku O-P. Saijonmaa

N. Mikander L. Valjakka TAVARAMERKIT. LAKIASIAT:

• TRADEMARĶS. LEGAL MATTERS: P. Kolve* H. Halmetoja**

1. Karlsson** E-M. Söderström** S. Aspola J. Talvitie

Berggren 🖖

In the claimed invention, a reference value for a data, said reference value then typically sent together with the data, is calculated at least partly based on a check sum and an authentication value. Typically the check sum is calculated using the whole data. The authentication value for the data may be calculated using, together with the actual authentication information, part of the data, the whole data or some information relating to the data.

The calculation of the reference value enables the transmission of both a check sum and an authentication value together with a data using the same transmission capacity as in transmitting only the check sum and the data. Furthermore, by transmitting a combination of the check sum and the authentication value (i.e. the reference value) it is possible, for example, to protect parts of the data against accidental modification (i.e. parts protected only by the check sum) and parts of the data against accidental and purposive modifications (i.e. parts protected by the authentication value). In some cases it may be computationally easier to calculate authentication values only for the most significant parts of data than for the whole data. Same flexibility and computational advantages may be achieved by transmitting with a message separately an authentication value and a check sum, but this results in wasted transmission capacity when compared to the claimed invention.

Amended claims, where reference signs are placed where appropriate, are enclosed. Claim 1 now specifies an authentication value for the data. Claims 3-6, and 9-11 are original. Claims 12, 14, 16 and 17 now refer to correct claims, otherwise they are original. Claim 2 now mentions that a second authentication value is derived; support for this modification is on page 6, rows 23-24 of the description. Reference to second authentication value is removed from Claims 7 and 8. Claims 13 and 15 mention means for deriving an authentication value for the received data. In Claim 15, terms first and second authentication/error check value are now used consistently.

The description is brought into conformity with the amended claims. Replacement pages 4, 5 and 6 are enclosed.

A reconsideration of the arguments presented in the Written Opinion regarding the novelty and inventiveness of the claimed invention is respectfully requested.

BERGGREN OY AB

Sirpa Kuisma Patent Attorney without increasing the packet size. It provides a simple per packet authentication so that the receiver can with one check determine if the packet is valid or not. A second object of the present invention is to provide a transmitter, which is capable of arranging the authentication value into a packet so that the packet size is not increased. A third object of the present invention is to provide a receiver, which is capable of checking, if the transmitted data has changed in the transmission path. A fourth object of the present invention is to provide a mobile station which is capable of transmitting and receiving the authentication value without increasing the packet size.

5

- The above stated objects are achieved by combining the authentication value to the error check data so that it does not add the packet size. Combining the authentication value to error check data is done by using a logical function, for example. At the receiving end the combination of the error check value and the authentication value is processed so that the integrity of the data can be checked.
- The advantage of the present invention is that by using this arrangement in a telecommunication system the bandwidth of the system can be saved. It also enables the use of digital signatures with fixed length frames of present protocols without changing the frame formats. As a result, the authenticity can be provided without increasing the packet size. One very important aspect is that the invention is applicable in all digital communication systems.

The method according to the invention is a method for checking data, and it is characterized in that a first reference value is calculated at least partly based on a first error check value calculated from the data and a first authentication value for the data.

- The transmitter according to the invention is characterized in that the transmitter comprises
 - means for deriving an authentication value from the data to be transmitted,
 - means for deriving an error check value from the data to be transmitted and
- means for combining said authentication value and said error check value with a logical function for producing a first reference value.

The receiver for receiving data having means for checking received data according to the invention is characterized in that the receiver comprises

- means for deriving a first reference value from the received data,
- means for calculating a second error check value from the received data,
- means for deriving an authentication value for the received data,
- means for calculating a second reference value at least partly based on a first and a second value from the set of said second error check value, a second authentication value and said first reference value, and
 - means for comparing said second reference value with a third value from the set of said second error check value, said second authentication value and said first reference value.
- 10 The station, comprising a transmitter and a receiver, according to the invention is characterized in that the transmitter comprises
 - means for deriving a first authentication value from the data to be transmitted,
 - means for deriving a first error check value from the data to be transmitted, and
- means for combining said first authentication value and said first error check value
 with a logical function for producing a first reference value

and the receiver comprises

- means for deriving a first reference value from the received data,
- means for calculating a second error check value from the received data,
- means for deriving an authentication value for the received data, this authentication value being a second authentication value,
 - means for calculating a second reference value at least partly based on a first and a second value from the set of said second error check value, said second authentication value and said first reference value, and
- means for comparing said second reference value with a third value from the set of said second error check value, said second authentication value and said first reference value.

The present invention will now be described more in detail in the following with the reference to the accompanying drawings, in which

- fig. 1 illustrates one possible arrangement of the GPRS network,
- fig. 2 illustrates one possible arrangement at the sending end,
- fig. 3 illustrates one possible arrangement at the receiving end and
- fig. 4 illustrates a block diagram of a mobile station.
- In the present invention the data transmitted is processed at the both ends, that is at the sending end and at the receiving end, in the same way so that the integrity of the message can be checked. At the sending end, as shown in figure 2, the error check value, which in this preferred embodiment is a CRC 205, is derived from the original data 201. Next, the authentication value 202, which can be derived for 10 instance by using a packet number or a secret key as an input and a secret algorithm, is combined to the CRC field. The broken line describes that the authentication value 202 is in some way derived from the original data 201. The combination of the CRC 205 and the authentication value 202 is carried out in this preferred embodiment of the invention by using the logical function "exclusive-OR" (XOR) 15 203. XOR 203 is a function which produces an output of 1 when exactly one of its two inputs is 1. As a result, the data, which is to be sent, comprises the original data field 201 and another field, which consists of the XORed value 308 of the CRC 205 and the authentication value 202. To a man skilled in the art it is obvious that the authentication value 202 can be any value, which is advantageously possible to 20 derive from the original data 201.

At the receiving end the data received is arranged to be processed vice versa, as shown in figure 3. The XORed data 308 is re-XORed 203 with the authentication value 302, which is the same as the authentication value 202 at the sending end in a case where the data sent is not changed. The authentication value 302 can be 25 derived from the received data 301 in the same way as at the sending end. By using the rules of binary algebra the result of this re-XORing 203 is CRC value 304. By comparing 305 this CRC 304 to another CRC 303 calculated at the receiving end from the received data, it can be found, if the data has changed in the transmission path. If the comparison 302 shows that the CRCs 303; 304 are the same, it means 30 that the received data 301 has been transmitted without any changes 306. But, if the comparison 305 shows that the CRCs 303; 304 differ from each other, it means that the original data 201 has changed in the transmission path, or that the authentication value 302 was not correct at the receiving end. As a result, the data received can be erased 306.

Claims

5

- 1. A method for checking of data, characterized in that
- a first reference value (204) is calculated (203) at least partly based on a first error check value (205) calculated from the data and a first authentication value (202) for the data.
- 2. A method according to claim 1, characterized in that when checking the data
- a second error check value (303) is calculated from the data,
- a second authentication value (302) is derived for the data,
- a second reference value is calculated at least partly based on a first and a second value from the set of said second error check value, said second authentication value and said first reference value.
 - said second reference value is compared (305) with a third value from the set of said second error check value, said second authentication value and said first reference value.
- 3. A method according to claim 1, **characterized** in that the data is in the form of packets to be sent from a transmitter to a receiver and said first reference value is added to the packet to be sent.
 - 4. A method according to claim 3, **characterized** in that the data is to be sent in a cellular system.
- 20 5. A method according to claim 1, **characterized** in that said calculation is performed with the exclusive-OR function.
 - 6. A method according to claim 2, **characterized** in that said first and second authentication values (202; 302) are derived at least partly based on a secret key.
- 7. A method according to claim 3, **characterized** in that said first authentication value (202) is derived at least partly based on a packet number.
 - 8. A method according to claim 3, **characterized** in that said first authentication value (202) is derived at least partly based on the direction of the packet to be transmitted.

- 9. A method according to claim 2, **characterized** in that said first and second error check values are CRC values (205; 303; 304).
- 10. A method according to claim 2, characterized in that said first and second authentication values are calculated at least partly based on the data.
- 5 11. A transmitter, characterized in that the transmitter comprises
 - means for deriving an authentication value (202) from the data to be transmitted (201),
 - means for deriving an error check value (205) from the data to be transmitted (201) and
- means for combining said authentication value (202) and said error check value (205) with a logical function for producing a first reference value (204).
 - 12. A transmitter according to claim 11, **characterized** in that said logical function is exclusive-OR (203).
- 13. A receiver for receiving data having means for checking received data, characterized in that the receiver comprises
 - means for deriving a first reference value (308) from the received data,
 - means for calculating an error check value (303) from the received data,
 - means for deriving an authentication value (302) for the received data,
- means for calculating a second reference value at least partly based on a first and a second value from the set of said error check value, said authentication value and said first reference value, and
 - means for comparing said second reference value with a third value from the set of said error check value, said authentication value and said first reference value.
- 14. A receiver according to claim 13, **characterized** in that the receiver is arranged to carry out the logical function exclusive-OR (203).
 - 15. A station, comprising a transmitter and a receiver, **characterized** in that the transmitter comprises

- means for deriving a first authentication value (202) from the data to be transmitted (201),
- means for deriving a first error check value (205) from the data to be transmitted (201) and
- means for combining said first authentication value (202) and said first error check value (205) with a logical function for producing a first reference value (204),

and the receiver comprises

- means for deriving a first reference value (308) from the received data,
- means for calculating a second error check value (303) from the received data,
- means for deriving an authentication value (302) for the received data, this authentication value being a second authentication value,
 - means for calculating a second reference value at least partly based on a first and a second value from the set of said second error check value, said second authentication value and said first reference value, and
- means for comparing said second reference value with a third value from the set of said second error check value, said second authentication value and said first reference value.
 - 16. A station according to claim 15, **characterized** in that the mobile station (101) is arranged to carry out the logical function exclusive-OR (203).
- 20 17. A station according to claims 15 or 16, **characterized** in that the station is a mobile station (101).